

Mono Satiné with optional Pedestal

OMVIVO



# Mono Satiné with optional Pedestal

## Available finishes

White satiné

## Pedestal available finishes

Milkwood veneer

Saltwood veneer

White satiné

## Assembly

Mono Vessel assembly includes;

- Chrome pop-up waste
- Rubber seals
- Chrome locknut

Pedestal is an optional extra.

## Cleaning

Satiné - Clean with a mild detergent and a soft cloth. For more stubborn marks including lime scale and soap build up, a mild abrasive cleaner can be used with a soft cloth in wide circular motions. Finish by cleaning off detergents with a soft wet cloth and towel dry.

Veneer - Clean with a mild, non acidic, non abrasive detergent and soft cloth. Finish by cleaning off detergents with a soft damp cloth and towel dry.

## Recommended fittings and set up

Ulisse 5\* 32 x 200/250 mm wall outlet

Ulisse 5\* 25 X 200/250 mm wall outlet

Ulisse 5\* 32 x 1120 mm floor outlet

Please note - Use an outlet that uses 5-7 litres per minute.

For best results the water should fall at a 90 degree angle, directly down onto the vessel. The Mono vessel can be partnered with the Mono pedestal or bench mounted. The mono pedestal is suitable for S or P trap plumbing. It has an opening at the rear for access to the waste and for a P trap.

## Important


This is not an installation guide.

Please contact OMVIVO for technical details.


Product specifications are subject to alteration without notice.

©OMVIVO Pty Ltd. 2006.

## Assembly



design Thomas Coward



**OMVIVO**

Omviso Pty Ltd Schiavello Complex T: + 61 3 9339 8130  
1 Sharps Road Tullamarine F: + 61 3 9330 8611  
Victoria Australia 3043 info@omvivo.com

[www.omvivo.com](http://www.omvivo.com)

Note: due to varying manufacturing methods, the dimensions illustrated here are nominal and subject to change. Omvivo has detailed, to the best of its ability, the most approximate measurement possible for each product given the method of manufacturing used.

Mono Stone with optional Pedestal

OMVIVO



# Mono Stone with optional Pedestal

## Available finishes

Carrara marble  
Sand limestone  
Noir sully

## Pedestal available finishes

Milkwood veneer  
Saltwood veneer  
White satiné

## Assembly

Mono Vessel assembly includes;

- Chrome pop-up waste
- Rubber seals
- Chrome locknut

Pedestal is an optional extra.

## Cleaning

Natural stone - Wipe up spills immediately. Clean with warm soapy water (a mild, neutral PH7, non-acidic detergent) and a soft cloth. Finish by cleaning off detergents with a soft wet cloth and towel dry. To ensure your natural stone looks its best year after year, apply a stone sealant approximately every 6 months or when required.

Veneer - Clean with a mild, non acidic, non abrasive detergent and soft cloth. Finish by cleaning off detergents with a soft damp cloth and towel dry.

Satiné - Clean with a mild detergent and a soft cloth. For more stubborn marks including lime scale and soap build up, a mild abrasive cleaner can be used with a soft cloth in wide circular motions. Finish by cleaning off detergents with a soft wet cloth and towel dry.

## Recommended fittings and set up

Ulisse 5\* 32 x 200/250 mm wall outlet

Ulisse 5\* 25 X 200/250 mm wall outlet

Ulisse 5\* 32 x 1120 mm floor outlet

Please note - Use an outlet that uses 5-7 litres per minute.

For best results the water should fall at a 90 degree angle, directly down onto the vessel. The Mono vessel can be partnered with the Mono pedestal or bench mounted. The mono pedestal is suitable for S or P trap plumbing. It has an opening at the rear for access to the waste and for a P trap.

## Important


This is not an installation guide.

Please contact OMOVIVO for technical details.


Product specifications are subject to alteration without notice.

©OMVIVO Pty Ltd. 2006.

## Assembly



design Thomas Coward



**OMVIVO**

Omivivo Pty Ltd Schiavello Complex T: + 61 3 9339 8130  
1 Sharps Road Tullamarine F: + 61 3 9330 8611  
Victoria Australia 3043 info@omvivo.com

www.omvivo.com

Note: due to varying manufacturing methods, the dimensions illustrated here are nominal and subject to change. Omvivo has detailed, to the best of its ability, the most approximate measurement possible for each product given the method of manufacturing used.

edition two